ROUTING RECORD **ACTION** FROM DATE DEC 2 1 2011 FEB 1.6 2012 REFERENCE TO OTHER APCD RECORDS INCLUDING VARIANCES

G3106 CCAT: 96

APPL# 529235 I.D. # 169754

OXY USA INC 20101 GOLDENWEST ST HUNTINGTON BEACH OIL & GAS PRODUCTION

Date: 11/08/11

THERMAL OVIDIZER





Form 400-CO Application For Change Of Operator

Mail To: SCAQMD P.O. Box 4944

Diamond Bar, CA 91765-0944

Note 1: A Change Of Operator Permit can only be issued if ALL of the following conditions app

		W	The existing permit is still <u>active</u> or can be <u>reinstated</u> to an active status,
oly:	\rightarrow	2	The equipment is operated at the same location as listed in the existing permit; AND
		3	All fees due by previous operator must be paid.

Tel: (909) 396-3385 www.aqmd.gov

Note 2: Submit one form for each application/permit.	ue by previous operator must be paid.					
Section A - Previous Operator Information						
Facility Name (Business Name of Operator As It Appears On The Permit):	2. Valid AQMD Facility ID (Available On Parmit Or Invoice- Issued By AQMD):					
AERA ENERGY LLC	Issued By AQMD): 104017 (1015)					
Section B - New Operator Information	/					
3. Business Name of Operator As It Should Appear On The Permit:	Now AOMB Facility ID					
OXY USA INC.	New AQMD Facility ID TO BE COMPLETED BY AQMD)					
4. Owner's Business Name (If different from Business Name of Operator):						
Section C - Equipment Location Address	Section D - Permit Mailing Address					
5. Fixed Location Various Location (For equipment operated at various locations, provide address of initial site.)	Permit and Correspondence Information: Check here if same as equipment location address					
20101 GOLDENWEST ST	111 W.OCEAN BLVD. SUITE 800					
Street Address Address						
HUNTINGTON BEACH , CA 92648	LONG BEACH CA 90802					
City State Zip	City Stale Zip					
DIANA LANG ENV. COORD	DIANA LANG ENV. COORD					
Contact Name Title	Contact Name Title					
(562) 624-3314 (562) 624-3224	(562) 624-3314 (562) 624-3224					
Phone # Ext. Fax #	Phone # Ext. Fax #					
DIANA_LANG@OXY.COM E-Mail	DIANA_LANG@OXY.COM E-Mail					
Section E - Facility Business Information	L-Mai					
7. What business is conducted at this location?	8. What is your primary NAICS Code (North American Industrial					
	Classification System)?					
OIL AND GAS PRODUCTION						
9. Are you a small business as per AQMD's Rule 102 definition? (10 employees or less and total gross receipts are \$500,000 or less or a not-for-profit t	raining center)					
Section F - Application or Permit to be Transferred to New Operator						
10. Is this Change of Operator a full or partial transfer of all active permits?	Full C Partial					
11. Application Number: 487556 12.	Permit Number: 43 06 (Please attach a copy)					
For RECLAIM Facilities, ALSO Complete This Section (Also submit Form 2007-1.	, Form 2007-2 and if applicable, Form 2007-3, together with a separate filing fee for the					
transfer of RTC's as per Rule 301(0)(9):	,					
Device number or range of device numbers for the permitted item: C213						
Please be advised that you are applying to take over the operation of	all or part of a RECLAIM facility and if any previous Facility Permit holder sions in Excess of Annual Allocation, during time periods prior to this					
change of operator, your facility Allocation will be reduced by the amo						
Section G - Signature and Authorization for Change of Operator						
I HEREBY AGREE TO TRANSFER OPERATOR OF THE PERMITTED EQU THE NEW LEGAL OPERATOR, IDENTIFIED IN SECTION B.	JIPMENT AS SPECIFIED ABOVE, FOR THIS FACILITY, TO Checklist					
Previous Operator 13. Signature of Responsible Official:	14. Date: Nov 1, LOV X Form signed?					
15. Title of Responsible Official: MANAGER OF OPS - L	_A BASIN 16. Phone: 714 969-3533 ☐ Payment attached?					
CM 0 57 Y	Copy of existing					
	18. Date: Nov 1, 2011 permit attached?					
Operator 19. Title of Responsible Official: VP - ENGINEERING & OF	PERATIONS 20. Phone: Sea -495-4348 S attached?					
AOMD PARACKIG ACCEPTED SO STO AMOUNT RECEIVE USE ONLY						
DATE ADD CLS	E-UIPI SAT CATEGORY CODE TEAN ENGINEER REASONIACTION TAILEN					

FEE DATA - SUMMARY SHEET

Application No	:	529235				IRS/SS No:	
Previous Application	No:	487556				Previous Permit No: G31	06
Company Name:	OXY US	SA INC				Facility ID:	169754
Equipment Street:	20101 0	SOLDENWEST ST ,	HUNTINGTO	N BEACH CA	92648		
Equipment Desc :	TAIL G	AS INCINERATOR				91)	
Equipment Type :	CONTR	OL				Fee Charged by: (C-CAT
B-CAT NO. :	000000			C-CAT NO:	90	Fee Schedule: [0
Facility Zone :	18		Deemed (Compl. Date:	12/8/	2011 Public Notice:	NO
Evaluation Type: C	HANGE (OF OPERATOR (PO)			Small Bu	sinese
		O, Recommended	•			Higher Fees for	
Lead Appl. No :	-4-1	.,	,,			to Obtain a l	
						Identical Pern	nit Unit:
Air quality Analysis			\		\$0.00	Filing Fee Paid:	\$0.00
E.I.R					\$0.00	Permit Processing Fee Paid:	\$508.28
Health Risk Assessm	nent				\$0.00	Permit Processing Fee	
Public Notice Prepara	ation Fee				\$0.00	Calculated*:	\$508.28
Public Notice Publica	ition Fee				\$0.00	Permit Processing Fee Adjustment:	\$0.00
Expedited Processing	9		Hours:	0.00	\$0.00	· · · · · · · · · · · · · · · · · · ·	
Source Test Review			Hours:	0.00	\$0.00		
Time & Material			Hours:	0.00	\$0.00		
						Total Additional Fee:	\$0.00
						Additional Charge:	\$0.00

COMMENTS:

RECOMMENDED BY: HAMILTON A STODDARD
REVIEWED BY:

DATE: 02/03/2012B 1 6 2012

^{*} ADJUSTED FOR SMALL BUSINESS, IDENTICAL EQUIPMENT AND P/O NO P/C PENALTY

SCAQMD PERMIT PROCESSING SYSTEM (PPS)

AEIS DATA SHEET

Company Name: OXY USA INC

Equipment Address: 20101 GOLDENWEST ST

HUNTINGTON BEACH CA 92648

Facility ID: 169754

Application Number: 529235

Equipment B-Cat : Equipment C-Cat : 96

Estimated Completion Date: 02/09/12

Equipment Type: Control

7 7 37

Equipment Description: TAIL GAS INCINERATOR

	Emis		
Emittants	R1 LB/HR	R2 LB/HR	
со	0.14	0.14	
NOX	0.07	0.07	
PM10	0.01	0.01	
ROG	0.01	0.01	

	Applicable Rules		
	1113	06/03/2011	Architectural Coatings
	1173	02/06/2009	Fugitive Emissions of VOC
	1176	09/13/1996	Sumps and Wastewater Separators
	1401	09/10/2010	New Source Review of Toxic Air Contaminants
	2000	05/06/2005	General (RECLAIM)
	401	11/09/2001	Visible Emissions
	402	05/07/1976	Nuisance
	463	05/06/2005	Organic Liquid Storage
_			

	Mon	Tue	Wed	Thu	Fri	Sat	Sun
Daily Start Times :	00:00	00:00	00:00	00:00	00:00	00:00	00:00
Daily Stop Times:	24:00	24:00	24:00	24:00	24:00	24:00	24:00

User's Initials : HS01

Date: 02/09/12

Supervisor's Name : __

Review Date : / /

NSR DATA SUMMARY SHEET

Application No:

529235

Application Type:

Change of Ownership

Application Status:

PENDAPPRV

Previous Apps, Dev, Permit #: 487556, 0 - ,, NONE

Company Name:

OXY USA INC

Company ID:

169754

Address:

20101 GOLDENWEST ST, HUNTINGTON BEACH, CA

RECLAIM: RECLAIM Zone: Air Basin:

NOX 01 SC 18

Zone: Title V:

NO

Device ID:

0 -

Estimated Completion Date:

07-04-2012

Heat Input Capacity:

Million BTU/hr

Priority Reserve:

NONE - No Priority Access Requested

Recommended Disposition:

31 - PERMIT TO OPERATE GRANTED

PR Expiration:

School Within 1000 Feet: NO 52

Operating Weeks Per Year: Operating Days Per Week:

7 00:00 to 24:00

Monday Operating Hours: Tuesday Operating Hours: Wednesday Operating Hours:

00:00 to 24:00 00:00 to 24:00

Thursday Operating Hours: Friday Operating Hours:

00:00 to 24:00 00:00 to 24:00

Saturday Operating Hours: Sunday Operating Hours:

00:00 to 24:00 00:00 to 24:00

CURRENT EMISSION

District Exemption:

BACT 30 days Avg:

Annual Emission:

Emittant: CO BACT: Cost Effectiveness: NO Source Type: MINOR Emis Increase: Modeling: N/A Public Notice: N/A CONTROLLED EMISSION Max Hourly: 0.14 lbs/hr Max Daily: 3.36 lbs/day UNCONTROLLED EMISSION Max Hourly: 0.14 lbs/hr Max Daily: 3.36 lbs/day CURRENT EMISSION BACT 30 days Avg: 3 lbs/day Annual Emission: 1223.04 lbs/yr District Exemption: None NOX Emittant: BACT: Cost Effectiveness: NO Source Type: MAJOR Emis Increase: 0 Modeling: N/A Public Notice: N/A CONTROLLED EMISSION Max Hourly: 0.07 lbs/hr Max Daily: 1.68 lbs/day UNCONTROLLED EMISSION Max Hourly: 0.07 lbs/hr Max Daily: 1.68 lbs/day CURRENT EMISSION BACT 30 days Avg: 2 lbs/day Annual Emission: 611.52 lbs/yr District Exemption: None Emittant: PM10 BACT: Ost Effectiveness: NO Source Type: MINOR Emis Increase: N/A Modeling: Public Notice: N/ACONTROLLED EMISSION Max Hourly: 0.01 lbs/hr Max Daily: • 0.24 lbs/day UNCONTROLLED EMISSION Max Hourly: 0.01 lbs/hr Max Daily: 0.24 lbs/day

0 lbs/day

130 lbs/yr

Emittant: BACT:	ROG
Cost Effectiveness:	NO
Source Type:	MINOR
Emis Increase:	0
Modeling:	N/A
Public Notice:	N/A
CONTROLLED EMISSION	N/A
Max Hourly:	0.01 lbs/hr
Max Daily:	0.01 lbs/m 0.24 lbs/day
UNCONTROLLED EMISSION	0.24 IDS/day
	0 01 lbg/br
Max Hourly:	0.01 lbs/hr
Max Daily: CURRENT EMISSION	0.24 lbs/day
	0 lbg/day
BACT 30 days Avg: Annual Emission:	0 lbs/day
District Exemption:	121 lbs/yr None
District Exemption.	Notice
Emittant:	SOX
BACT:	220
Tost Effectiveness:	NO
Source Type:	MINOR
Emis Increase:	0
Modeling:	N/A
Public Notice:	N/A
CONTROLLED EMISSION	
Max Hourly:	0.01 lbs/hr
Max Daily:	0.01 lbs/day
UNCONTROLLED EMISSION	
Max Hourly:	0.01 lbs/hr
Max Daily:	0.01 lbs/day
CURRENT EMISSION	
BACT 30 days Avg:	0 lbs/day
Annual Emission:	0.01 lbs/yr
District Exemption:	None
SUPERVISOR'S APPROVAL:	CIDEDVICADIC DEVIEW DATE.
DOFERVIDOR D AFFROVAL:	SUPERVISOR'S REVIEW DATE:

Processed By: hamiltos 2/14/2012 2:40:45 PM

DATE FROM TO ACTION

SEP A 5 2006 PAYL CB JIT

5/20/09 C38 JTY P/O RECOMME.

Catat 16019

C2106

MN 529235

APPL # 487556 I. D. # 104017

AERA ENERGY LLC 20101 GOLDENWEST ST HUNTINGTON BEACH THERMAL OXIDIZER

ä

Date: 08/29/08



South Coast Air Quality Management District Form 400-A AQMD Application For Permit To Construct and Permit To Operate

Mail Application To: P.O. Box 4944 Diamond Bar, CA 91765

Tel: (909) 396-3385 www.aqmd.gov

Section A: Operator Information					
Business Name of Operator To Appear On The Permit: Aera Energy, LLC					
2. Valid AQMD Facility ID (Available on Permit or Invoice 3. Owner's Business Nam	ne (only If different from Business Name of Operator):				
issued by AQMD): 104017	ne torry if where it from business wante of Operatory:				
Section B: Equipment Location	Section C: Permit Mailing Address				
4. Equipment Location Address:	5. Permit and Correspondence Information:				
For equipment operated at various locations in AOMD's junsdiction, provide address of initial size	Check nere if same as equipment location address				
20101 Golden West Street					
Street Address	Street Address				
Huntington Beach CA, 90740 - City State Zip Code					
City State Zip Code	City State Zip Code				
County: 🔘 Los Angeles 🕟 Orange 🤘 San Bernardino 🕜 Riverside					
Contact Name: Susan Perrell	Contact Name:				
Contact Tit'e: Environmental Advisor Phone: (714) 743-4396	Contact Title: Phone:				
Fax: (714) 969-3364 E-Mail: smperrell@aeraenergy.com	Fax: E-Mail:				
Section D: Application Type The facility is in ORECLAIM O Titl					
6. Reason for Submitting Application (Select only ONE):	7. Estimated Start Date of Operation/Construction (MM/DD/YYYY):				
New Construction (Permit to Permitted Equipment Altered/ Modified Without	,				
Construct) Permit Approval	A/N # 436452 Thermal Oxidizer				
G Equipment Operating Without A Proposed Alteration/Modification to Permitted	Devices to move from Non-Title V permit to Title V permit per				
Permit or Expired Permit Equipment	Condition 130.1: C213				
Administrative Change Change of Condition For Permit To Operate					
Constructed or Operational Canada or Operational Canada or Operational	9. Is this equipment portable AND will it be operated at different locations within AQMD's jurisdiction? • No C Yes				
O Title V Application (Initial, Revisions, O Change of Location—Moving to New Site Modifications, etc.)	10. For Identical equipment, how many additional applications are being				
C) Compliance Plan Existing Or Previous Permit/Application Number:	submitted with this application? (Form 400-A required for each)				
(If you checked any of the items in this column, you MUST	11. Are you a Small Business as per AQMD's Rule 102 definition?				
Facility Permit Amendment F87072/43C45	(10 employees or less and total gross receipts are \$500,000 or less, or a not-for-profit training center?)				
O Registration/Certification	12. Has a Notice of Violation (NOV) or a Notice To Comply (NC) been issued for this equipment?				
O Streamlined Standard Permit	No O Yes If yes, provide NOVINC #:				
* A Higher Permit Processing Fee applies to those items with an asterisk (Rule 301 (c) (1) (D)	19 No 19 Yes If yes, provide NOVINC #:				
Section E: Facility Business Information 13. What type of business is being conducted at this equipment location?	14. What is your businesses primary NAICS Code				
Oil and Gas Production	(North American Industrial Classification System)? 211111				
15. Are there other facilities in the SCAQMD jurisdiction operated by the same operator?	16. Are there any schools (K-12) within a 1000-ft, radius of the equipment physical location? • No O Yes				
Section F: Authorization/Signature: hereby centify that all information contained herein a					
17. Signature of Responsible Official: 18. Title:	Check List				
Manager of Opera	Form(s) signed and dated by authorized official				
19. Print Name; 20. Date:	Supplemental Equipment Form (400-E-XX or 400-E-GEN) E GEOA Form (400-CEQA) attached				
A const	Payment for permit processing fee attached				
William A. Morris 848-08	Your application will be rejected if any of the above items are missing.				
AGIMO APPLICATION/TRACKING TYPE EQUIPMENT CATEGO	ORY CODE: FEE SCHEDULE: VALIDATION				
USE ONLY 1/8 7556 BCD 96	; 8/29/08 We				
ENG. A R ENG. A R CLASS ASSIGNMENT	CHECKIMONEY ORDER AMOUNT Tracking #				
DATE DATE Unit Engineer South Coast of Quality Management District, Form 400-A (2006.02)					
70	pe 63 admin. collection 9/15				
11-4-08 (13257)	No Engicial. 9/15				
(117 / 5	670-50				



FEE DATA - SUMMARY SHEET

Application No Previous Application	: 487556 No: 436452	(7)	1)		IRS/SS No: Previous Permit No: F8	37072
Company Name:	AERA ENERGY LLC				Facility ID:	104017
Equipment Street: Equipment Desc :	20101 GOLDENWESTST , TAIL GAS INCINERATOR		BEACH CA 9	2648		
Equipment Type :	CONTROL				Fee Charged by:	C-CAT
B-CAT NO. :	000000		C-CAT NO:	96	Fee Schedule:	D
Facility Zone :	18	Deemed C	Compl. Date:	9/28/	2008 Public Notice:	NO
•	CHANGE OF CONDITIONS, Approve PO, Recommended		R. COND. (PO)		Small I Higher Fees to Obtain Identical Pe	a Permit:
Air quality Analysis				\$0.00	Filing Fee Paid:	\$0.00
E.I.R				\$0.00	Permit Processing Fee Paid:	\$670.50
Health Risk Assessr	ment			\$0.00	Permit Processing Fee Calculated*:	\$670.50
Significant Project				\$0.00	Permit Processing	\$0.00
Expedited Processin	g	Hours:	0.00	\$0.00	Fee Adjustment:	\$0.00
Source Test Review		Hours:	0.00	\$0.00		
Time & Material		Hours:	0.00	\$0.00		
					Total Additional Fee:	\$0.00

COMMENTS:

RECOMMENDED BY: C S BHATT

REVIEWED BY:

Jye

DATE: 05/14/2009

Additional Charge:

\$0.00

DATE: 5/27/

^{*} ADJUSTED FOR SMALL BUSINESS, IDENTICAL EQUIPMENT AND P/O NO P/C PENALTY

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

ENGINEERING AND COMPLIANCE DIVISION

APPLICATION EVALUATION AND CALCULATIONS

No. of Pages	Page No.
Appl. No.	Date
487541-563	May 4, 09
Energy	Approved
Team	by:
C. S. Bhatt	Me

PERMIT TO OPERATE

OWNER/OPERATOR:

Aera Energy LLC

CONTACT:

Ms. Susan Perrell

COMPANY ID:

104017

EQUIPMENT LOCATION:

20101 Goldenwest Street

Huntington Beach, CA 92648

EQUIPMENT DESCRIPTION:

A/N 487541

A/N 484374

Alter the existing Crude oil/gas/water Separation System [Process 1, System 1, (P/O No. F99878, A/N 484374)] by deleting Pit No. 1 (Device D17) and removing permit condition I30.1 as Aera is now a Title V facility. These are Admin. type changes.

Please see equipment description on next page.

No. of Pages Page No. SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 19 2 Appl. No. Date ENGINEERING AND COMPLIANCE DIVISION 487541-563 May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

Section D: Facility Description and Equipment Specific Conditions

DESCRIPTION	ID No.	Connected to	Source Type/ Monitoring Unit	Emission	Conditions/
Process 1 (Crude Oil/Gas Production), System	1 (Cru	de oil/gas/	water Separatio		
Vessel, V-104, Free water knockout, 10' D x 40' L. A/N 484374 487541	DI				130,1
Vessel, V-107, Free water knockout, 12' D x 60' L. A/N 484374 487541	D2				130-1
Vessel, V-108, Free water knockout, 12' D x 60' L A/N 484374 487541	D3				130.1
Vessel, V-109, Free water knockout, 12' D x 60' L. A/N 484374 487541	D4				130.1
Vessel, V-110, Free water knockout, 12' D x 60' L. A/N 484374 487541	D5			,	130.1
Vessel, V-111, Free water knockout, 10' D x 60' L. A/N 484374 487541	D6				130-1
Vessel, V-114, Free water knockout, 12' D x 40' L. A/N 484374 487541	D7				
Vessel, V-115, Free water knockout, 12' D x 60' L. A/N 484374 487541	D8				130.1
Tank, Holding, T-101, Crude Oil, vented to Vapor Recovery Compressor, 2,000 bbl, 29' – 9" D x 16' H., A/N 484374 487541	D10				E57.1, E127.1, H23.5, 130.1
Tank, Holding, T-102, Crude Oil, vented to Vapor Recovery Compressor, 2,000 bbl, 29' – 9" D x 16' H., A/N 484374 487541	DH				E57.1, E127.1, H23.5, 130.4
Tank, Holding, T-103, Wet Oil Divert, vented to Vapor Recovery Compressor, 2,000 bbl, 29' – 9" D x 16' H	D12	-,			E57.1, E127.1, H23.5, 130.1
Λ/N 4 84374 4 <u>87541</u>					

No. of Pages Page No. SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 19 3 Appl. No. Date ENGINEERING AND COMPLIANCE DIVISION 487541-563 May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

Section D: Facility Description and Equipment Specific Conditions

DESCRIPTION .	ID No.	Connected to	Source Type/ Monitoring Unit	Emission	Conditions/ comments			
Process 1 (Crude Oil/Gas Production), System 1 (Crude oil/gas/water Separation)								
Tank, Holding, T-104, Wet Oil Divert, vented to Vapor Recovery Compressor, 2,000 bbl 29° – 9" D x 16' H., A/N 484374 487541	D13				E57.1, E127.1, H23.5, 130.1			
Tank, Holding, T-318, Skim Oil, vented to Vapor Recovery Compressor, 5,000 bbl 38' – 8" D x 24' H. A/N 484374 487541	D15				E57.1, E127.1, H23.5, 130.1			
Pit, No. 1, Covered, Wet-Oil, vented to Vapor Recovery Compressor, 59' 6" L. x 40' 6" W. A/N 484374 487541	Ð17		Removed from service		E57.1, H23.4, H30-I			
Vessel, Separator, V-150, Relief Knockout Drum, 10° D x 40° L. A/N 484374 487541	D41				H23.3			
Tank, T-317, Surge/ Skim Oil-Wastewater, vented to Vapor Recovery Compressor, 5,000 bbl 38' – 8" D x 24' H. A/N 484374 487541	D14				E57.1, E127.1, H23.5, 130.1, K67.5			

The above equipment description is as per the existing permit (P/O F99878, A/.N 484374) and the proposed modification done as per A/No. 487541

A/N <u>487542</u> A/N 484375

Alter the existing wastewater treatment system [Process 1, System 2, (P/O No. F99877, A/N 484375)] by deleting Surge Tanks, T-326, T-327and T-328 (Devices D28, D29, and D30) and removing permit condition I30.1 as Aera is now a Title V facility. These are Admin. type changes.

Please see equipment description on next page.

No. of Pages Page No. SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 19 4 Appl. No. Date ENGINEERING AND COMPLIANCE DIVISION 487541-563 May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

Section D: Facility Description and Equipment Specific Conditions

DESCRIPTION	lD	Connected	Source Type/	Emission	Conditions/
Property 1 (Crude Oil/Con Production) C.	No.	to	Monitoring Unit	1	comments
Process 1 (Crude Oil/Gas Production), System		stewater I	reatment)	1	
Floatation Unit, Wemco, T-337, vented to Vapor Recovery Compressor, 550 bbl	D23				E127.1, H23.4, I30-F
Λ/N 48 1375 <u>487542</u>					•
Floatation Unit, Wemco, T-338, vented to Vapor Recovery Compressor, 550 bbl	D24				E127.1, H23.4, 130.1
Λ/N 4 84375 <u>487542</u>					
Tank, T-317, Surge/Skim Oil-Tank, Wastewater, vented to Vapor Recovery Compressor, 5,000 bbl 38' – 8" D x 24' H., A/N 484374 487541	D14				E57.1, E127.1, H23.5, H30-1, K67.5
Tank, Holding, T-350, Injection Water, vented to Vapor Recovery Compressor, 5,000 bbl 38' – 8" D x 24' H., A/N 484375 487542	D215	-			E57.1, E127.1, H23.5, H30.1
Tank, storage, T-326, Rain-Water, 2,300-bbl 29' D-x	D28		D d.f.		120
20' H A/N 484375 487542	1220		Removed from service		130.4
Tank, storage, T-327, Rain-Water, 2,300 bbl-29" D-x	D29		Removed from		130.1
50-11	1027		service		130.1
A/N 484375 487542 Tank, sterage, T-328, Rain-Water, 2,300-bbl 29'-D-x	D30	 	D	<u> </u>	120.1
20'-11	D20		Removed from service		130-1 -
A/N 484375 487542 Tank, storage, T-360, Rain Water, 2,000 bbl 29' – 9"	D34				120
D x 16' H	1034				130-1-
Λ/N 4 84375 <u>487542</u>					
Oil Water Separator, T-339, 1,000 bbl capacity, vented to Vapor Recovery Compressor, 12' Dia. x 60' L.	D36				E57.1, E127.1, H23.7, I30.1
A/N 4 84375 4 <u>87542</u>			,		
Pit, No. 3, Covered, Skim Oil, vented to Vapor Recovery Compressor	D40				E57.1, H23.4, 130.1
A/N 4 84375 487542					

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

ENGINEERING AND COMPLIANCE DIVISION

APPLICATION EVALUATION AND CALCULATIONS

No. of Pages	Page No.
19	5
Appl. No.	Date
487541-563	May 4, 09
Energy	Approved
Team	by:
C. S. Bhatt	

DESCRIPTION	ID No.	Connected to	Source Type/ Monitoring Unit	Emission	Conditions/ comments		
Process 1 (Crude Oil/Gas Production), System 2 (Wastewater Treatment)							
Tank, Vacuum Truck Offloading, T-340, Oily Water, vented to Vapor Recovery Compressor, 180 bbl, 12' D x 15' – 1" H.	D216				E57.1, E127.1, H23.3, I30.1		
A/N 484375 487542 Tank, Vacuum Truck Offloading, , T-341, Oily Water, vented to Vapor Recovery Compressor, 180 bbl, 12' D x 15' – 1" H.	D217				E57.1, E127.1, H23.3, 130.1		
A/N 484375 487542 Tank, Holding, T-342, Oily Water, vented to Vapor Recovery Compressor, 1,000 bbl, 29' – 9" D x 8' H.	D218				E57.1, E127.1, H23.5, 130.1		
A/N 484375 487542 Tank, Holding, T-343, Oily Water, vented to Vapor Recovery Compressor, 1,000 bbl, 29' – 9" D x 8' H.	D219				E57.1, E127.1, H23.5, 130.1		
A/N 484375 487542 Tank, Holding, T-345, Process Drain/Rain Water, Sump Drain, vented to Vapor Recovery Compressor. 53 bbl, 12' L. x 5 W. x 5 H.	D220				E57.1, E127.1, 130.1		
A/N 484 375 487542	L						

The above equipment description is as per the existing permit (P/O F99877, A/.N 484375) and the proposed modification done as per A/No. 487542

A/N <u>487545</u> A/N <u>480944</u>

Alter the existing Gas Gathering System [Process 1, System 3, (P/O No. F96924, A/N 480944)] by deleting Fuel Gas Scrubbers V-322 (Device D82) and Lease 392 scrubber (Device D146), and removing permit condition I30.1 as Aera is now a Title V facility. These are Admin. type changes.

Please see equipment description on next page.

No. of Pages Page No. SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 19 6 Appl. No. Date ENGINEERING AND COMPLIANCE DIVISION 487541-563 May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

DESCRIPTION	ID	Connected	Source Type/	Emission	Condition
·	No.	to	Monitoring Unit		/Comments
SCRUBBER, FUEL GAS, V-322, Diameter 1Ft. 6 in x-Height-6-Ft. A/N-480944 487545	Ð8 2		Removed from	service	130.1
SCRUBBER, WET GAS, V-323, Diameter 4 Ft. 2 in x Length 10 Ft. <u>A/N 480944</u> 487545	D120				130.1
GAS SEPARATOR, V-100 (NORTH BOLSA), Venting to the Huntington Beach Gas Plant, Diameter 4 Ft. x Length 20 Ft. A/N 480944 487545	D19				130.1
SCRUBBER, SOUTH BOLSA, Diameter 3 Ft x Height 8 Ft A/N-480944 487545	D145				130-1
SCRUBBER, LEASE 392 A/N 480944 <u>487545</u>	Ð146		Removed from	<u>service</u>	130.1
SCRUBBER, LEASE 425 A /N 480944 <u>487545</u>	D147				130.1
SCRUBBER, LEASE 426 A /N 480944 <u>487545</u>	D148				130.1
SCRUBBER, HIGH PRESSURE, Dia. 4' x Ht. 8' AAN-480944 487545	D128				130.1
SCRUBBER, LOW PRESSURE, Dia. 5' x Ht. 12' NAN-480944 <u>487545</u>	D130				130-1
SCRUBBER, INLET (EMMY HIGH PRESSURE GAS), Dia. 30" x Ht. 6' AAL 4 80944 <u>487545</u>	D170				130.1
SCRUBBER, OUTLET (EMMY HIGH PRESSURE GAS), Dia. 16" x Ht. 6' 	D171				130.1
SCRUBBER, EMMY LOW PRESSURE WET GAS , Dia. 5' x Ht. 12'	D221				130-1
Dia. 5' x Ht. 12' A/N 480944 487545					

The above equipment description is as per the existing permit (P/O F96924, A/.N 480944) and the proposed modification done as per A/No. 487545

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT	No. of Pages 19	Page No.
ENGINEERING AND COMPLIANCE DIVISION	Appl. No. 487541-563	Date May 4, 09
APPLICATION EVALUATION AND CALCULATIONS	Energy Team	Approved by:
	C. S. Bhatt	

A/N <u>487547</u> A/N <u>416211</u>

Alter the existing Gas Desulphurization System [Process 1, System 4 (Stretford Unit), (P/O No. F90627, A/N 416211)] by removing permit condition I30.1 as Aera is now a Title V facility. This is an Admin. type change.

Process 1: (CRUD E OIL/GAS PRODUCTION), Syste	m 4: (G	as Desulphui	ization, Stretford	l Unit)	
DESCRIPTION	ID No.		Source Type/ Monitoring Unit	Emission	Condition /Comments
SCRUBBER, V-1, Wet Gas, Diameter 6 Ft. x Height 13 Ft. 7 In. A/N 487547 416211	D42				130.1
Absorber, V-2, (Stretford unit for H ₂ S absorption), Dia. 3 Ft. 6 In. x Height 25 Ft. A/N 487547 416214	D20				430 <u>-</u> 4
Absorber, V-3, (Stretford unit for H ₂ S absorption), Dia. 3 Ft. 6 In. x Height 25 Ft. A/N 487547 4162+1	D43				130.1
Absorber, V-5, (Stretford unit for H₂S absorption), Dia. 3 Ft. 6 In. x Height 25 Ft. A/N 487547 416211	D45				130-1
Scrubber, V-4, Diameter 6 Ft. x Height 13 Ft. 7 In A/N 487547 416244	D46				130-1
Process Tank, T-2, Reaction Tank, Dia. 12 Ft. x Ht. 9 Ft. 6 In. A/N 487547 4162-14	D47				130.1
Process Tank, Unheated, Backup Sulfur Slurry Tank, Open Top, 470 BBL, 30 L, x 8 Ft. W, x 11 Ht. A/N 487547 446244	D172				130.1
Process Tank, T-3, Oxidizer Tank, Dia. 12 Ft. x Ht. 20 Ft. 9 In. A/N 487547 4462-14	D48				130-1
Process Tank, T-1, Unheated, Sulfur Slurry Holding Tank, Dia. 8 Ft. x Ht. 8 Ft. A/N 487547 446244	D83				130-1
Storage Tank, Mixing Tank, Dia. 4 Ft. x Ht.4 Ft A/N 487547 4462-14	D85				130.1
Storage Tank, Stretford Solution, Dia. 10 Ft. x Ht.10 Ft. A/N 487547 41624-1	D86				130-1

The above equipment description is as per the existing permit (P/O F90627, A/.N 416211) and the proposed modification done as per A/No. 487547

Page No. No. of Pages SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 19 8 Appl. No. Date ENGINEERING AND COMPLIANCE DIVISION 487541-563 May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

A/N <u>487548</u> A/N <u>473512</u>

Alter the existing Natural Gas Dehydration and Glycol Regeneration System [Process 1, System 6, (P/O No. F93233, A/N 473512)] by removing permit condition I30.1 as Aera is now a Title V facility. This is an Admin. type change.

Equipment	Id No.	Connected to	RECLAIM Source Type/Monitoring Unit	Emissions & Requirements	Conditions
Process 1: CRUDE OIL/GAS PRO					
System 6: Natural Gas Dehydration	and Gl	ycol Regener	ation Unit	7	
Knockout Pot, V-601, compressor Suction, 6' Dia. x 12' L.	D64				
A/N 4 73512 487548					
Knockout Pot, V-602, compressor 1st Stage Discharge, 30" Dia. x 8' H.	D65				
A/N 4 73512 487548					
Knockout Pot, V-606, compressor 2 nd Stage Discharge, 30" Dia. x 8' H	D133				
A/N 473512 487548					
Vessel, V-604, H ₂ S Removal Tower (Packed with SulfaTreat or Equivalent Material), 6' Dia. x 20' H.	D80				130:1
A/N 473512 487548			 		
Vessel, V-605, H ₂ S Removal Tower (Packed with SulfaTreat or Equivalent Material), 6' Dia. x 20' H.	D101				130.1
A/N 473512 487548				1	
Vessel, Separator, V-603, Glycol 3' Dia. x 8' L.	D79				
A/N 4 73512 487548					
Knockout Pot, V-607, 30" Dia. x 8' H., Liquid Knockout.	D134				
A/N 473512 487548					-

No. of Pages Page No. SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 19 9 Date Appl. No. 487541-563 May 4, 09 ENGINEERING AND COMPLIANCE DIVISION Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

Equipment	ld No.	Connected to	RECLAIM Source Type/Monitoring Unit	Emissions & Requirements	Conditions
Process 1: CRUDE OIL/GAS PRO		<u> </u>	And the second s		ring with
System 6: Natural Gas Dehydration	and Gl	ycol Regener	ation Unit		
Vessel, V-701, Glycol Flash Drum, 30"Dia. x 8' L.	D136	D194			
A/N 4 735 12 487548					
Vessel, V-801, Réfrigérant Compressor Suction Drum, 2' Dia. x 6' L.	D137				
A/N 473512 487548					
Vessel, V-802 Réfrigérant Surge Drum, 3'Dia. x 6' L.	D138				
A/N 473512 487548					
Vessel, Separator, V-803, Glycol 3'Día. x 8' L.	D139	1			
A/N 473512 487548					
Storage Tank, T-703, Glycol.	D141				"
A/N 473512 487548					
Sump, T-704, Glycol Collection	D142				
A/N 4 73512 487548					
Sump, T-705, Open Drain	D143				
A/N 473542 487548					
Glycol Still Column, T-701, 1' Dia. x 8' H.	D173	D194			
A/N 473512 487548					
Heat Exchanger, E-601, Compressor 1 st Stage Discharge Cooler, Air Cooled	D174				
A/N 47 35 2 487548					

No. of Pages Page No. SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 19 10 Appl. No. Date ENGINEERING AND COMPLIANCE DIVISION 487541-563 May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

Equipment	ld No.	Connected to	RECLAIM Source Type/Monitoring Unit	Emissions & Requirements	Conditions
Process 1: CRUDE OIL/GAS PROL					The state of the s
System 6: Natural Gas Dehydration	and Gl	vcol Regener	ation Unit		
Heat Exchanger, E-602, Compressor 2 nd Stage Discharge Cooler, Air Cooled	D175				
A/N 473512 487548	ļ				
Heat Exchanger, E-603, Gas to Gas A/N 473512 487548	D176				
Heat Exchanger, E-604, Gas Chiller A/N 473512 487548	D177				
Heat Exchanger, E-701, Rich/Lean Glycol	D178				
A/N 473512 487548			_		
Heat Exchanger, E-702, Glycol Regenerator, Electrical, 142 KW	D179				
A/N 473512 487548					
Heat Exchanger, E-703, Glycol Regenerator Off-gas Cooler, Air Cooled	D180				
A/N 473542 487548					
Heat Exchanger, E-801, Refrigerant Condenser, Air Cooled	D181	:	· · · · · ·		
A/N 4 73512 487548					
Heat Exchanger, E-802, Lube Oil Cooler, Air Cooled	D182				
A/N 473512 487548					
Inlet Gas Coalescing Filter, F-901, 2' Dia. x 4' H.	D183		·		130,1
A/N 473512 487548					

No. of Pages Page No. SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 19 11 Date Appl. No. ENGINEERING AND COMPLIANCE DIVISION 487541-563 May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

Equipment	Id No.	Connected to	RECLAIM Source Type/Monitoring Unit	Emissions & Requirements	Conditions
Process 1: CRUDE OIL/GAS PRO					
System 6: Natural Gas Dehydratio Glycol Contact Tower, T-901, 1' - 2" Dia. x 29' H., Packed Column, with integral bottom scrubber and wire mesh screen	D184	ycol Regener	ation Unit		130.1
A/N 4 73512 487548					
Glycol Regeneration Column, T-902 A/N 473512 487548	D185	D194			130.1
Rich Glycol Flash Drum, V-900 A/N 473512 487548	D186	D194			130-1
Rich Glycol Particulate Filter, F-902 A/N 473512 487548	D187				130.1
Rich Glycol Carbon Filter, F-903 A/N 473512 487548	D188				130.1
Lean/Rich Glycol Exchanger, E-901 A/N 4735-12 487548	D189				130.1
Glycol Re-boiler, V-901, Electrically heated, 40KW A/N 473512 487548	D190				130.1
Glycol Stripping Column, T-903 A/N 473512 487548	D191				130.1
Glycol Surge Drum, V-902 A/N 473512 487548	D192				130.1
Lean Glycol Fin-Fan Cooler, E-900 A/N 473512 487548	D193				130.1
Vapor Recovery Knockout Drum, V- 904, Vented to Vapor Recovery System A/N 473512 487548	D194	D136, D173, D185, D186			E57.1, I30.1

No. of Pages Page No. SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 19 12 Appl. No. Date ENGINEERING AND COMPLIANCE DIVISION 487541-563 May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

A/N 487549

A/N 425913

Alter the existing Natural Gas Dehydration System, (Platform Emmy Gas) [Process 1, System 7, (P/O No. F90352, A/N 425913)] by removing permit condition I30.1 as Aera is now a Title V facility. This is an Admin. type change.

SECTION- D:- Permit to Operate

Equipment	Id No.	Connected to	RECLAIM Source Type/Monitoring Unit	Emissions &	Conditions
Process 1: CRUDE OIL/GAS PRODUC					
System 7: Natural Gas Dehydration Un	it (Platfo	rm Emmy Ga	s)		
Inlet Gas Coalescing Filter, F-900, 2' Dia. x 4' H.	D195				130.1
A/N 4 25913 <u>487549</u>					
Glycol Contact Tower, T-900, 1' - 2" Dia, x 29' H., Packed Column, with integral bottom scrubber and wire mesh screen	D196				130-1
A/N 425913 487549					
Emmy Gas Coalescing Filter, F-904, 2' Dia. x 8' H.	D197				130-1
Λ/N 4259 13 487549					

A/Nos. <u>487551</u>, <u>487552</u>, <u>487556</u>

A/Nos 434611, 434612, 436452

Alter the existing Di-Ethanol Amine Unit [Process 1, System 9, (P/O No. F87069, A/N 434611), Amine Re-Boiler (P/O F87070, A/N 434612 and the Thermal Oxidizer (P/O No. 87072, A/N 436452] by removing permit condition I30.1 as Aera is now a Title V facility. This is an Admin. type change.

Please see equipment description on the next page.

No. of Pages Page No. SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 19 13 Appl. No. Date 487541-563 ENGINEERING AND COMPLIANCE DIVISION May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

Equipment.	Id No.	Connected to	RECLAIM Source Type/Monitoring Unit	Emissions & Requirements	Conditions
Processi GRUDE OIL/GASPRODUG	TION :		l Senata di Carante de Carante	l Natus propriedades	
System 9: Di-Ethanol Amine Unit (CO	Remov	al) 影響等			
Filter, F-1001, Inlet Gas Coalescer, 9" Dia. x 6' - 9" H.with PRV set at 350 psig, venting to APC System	D199	D131			130-1
A/N 434611 487551					
Tower, T-1006, Amine Contactor, 2' Dia. x 20' H., Packed Column, with PRV set at 350 psig, venting to APC System	D201	D131			D12.2, D90.1, I30.1
A/N 434 614 487551	,				
Vessel, V-1003, Amine Flash Tank, 3'-6" Dia. x 10' H., with PRV set at 100 psig, venting to APC System	D204	D131			D12.3, D90.2, 130.1
A/N 434 611 487551					
Filter, F-1003, Particulate Filter, 3' Dia. x 4' H., with PRV set at 100 psig, venting to closed drain header	D205				130-1
A/N 4 346 1-1 487551				v	
Filter, F-1004, Charcoal Filter, 2' - 6" Dia. x 8' H., 1,030 lbs charcoal	D206				130-1
With PRV set at 250 psig venting to closed drain header					
A/N 4 34611 487551					
Heat Exchanger, E-1002, Lean/Rich Amine Exchanger, Shell and Tube Type, Duty 0.74 mmbtu/hr	D207				130-1
A/N 434611					
Tower, T-1007, Amine Regenerator, 2' Dia. x 28' H., Packed Column, with PRV set at 50 psig venting to the atmosphere	D208				130,-1
A/N 4346I-1 487551					

No. of Pages SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT Page No. 14 19 Appl. No. Date ENGINEERING AND COMPLIANCE DIVISION 487541-563 May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

Equipment	ld	Connected	RECLAIM Source	Emissions &	Conditions
	No.	to	Type/Monitoring Unit	Requirements	
Process E GRUDE OIL/GAS PROI)UCTIO)Nagara	化电路设置器 		
System 9: Di-Ethanol Amine Unit 16 Heater, V-1007, Amine Reboiler, 4' Dia.		moval)論義		Alexander 1956	
x 30' L, Maxon Model: MPBC4RSFNAAA, Natural Gas Fueled, 2.7 mmbtu/hr capacity A/N 434612 487552	D209		NOx: Process Unit	NOx:38.46 lbs/mmcf (1) [R-2012]; NOx: 12 ppm (4) [R- 2005]; CO: 50 ppm (4) R- 1303][A195.1, A195.2, 130.1 , 1296.2
Heat Exchanger, E-1003, Amine Regenerator Overhead Condenser, Air Cooled, Duty 0.68 mmbtu/hr	D210				130-1
Venting acid gas to V-1005					
A/N 434611 487551					
Vessel, V-1005, Regenerator Overhead Reflux Accumulator, 13" Dia. x 7' H	D211	C213			D12.4, E175.1,
A/N 434611 487551					130-1
Heat Exchanger, E-1001, Lean Amine Cooler, Air Cooled, Duty 0.95 mmbtu/hr	D212				130-1
A/N 4 34611 487551					
Thermal Oxidizer, HT-1000, , F. I. Combustion Systems, Model No. Firecat #2.2.1, Natural Gas Fueled, 2.0 mmbtu/hr capacity	C213	D211	NOx: Process Unit	NOx:130 lbs/mmcf(1) [R-2012]	A195.3, C6.3, C8.4, I30.1, I296.1
. A/N 436452 <u>487556</u>					
Tank, T-1000, Amine Make-up Solution, Capacity 1000 gallons, with PRV vented to atmosphere	D214				130.1
A/N 434611 487551	}				

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

ENGINEERING AND COMPLIANCE DIVISION

APPLICATION EVALUATION AND CALCULATIONS

No. of Pages	Page No.
19	15_
Appl. No.	Date
487541-563	May 4, 09
Energy	Approved
_ Team	by:
C. S. Bhatt	

Delete Process 4, Soil Vapor Extraction [devices C156 and C157] as all related items are removed from service. Acra had filed an application for this purpose which was rejected (no need to file an application for the equipment removal.

A/N 487558 A/N 443091

Alter the existing Flare permit [Process 5 (P/O No. F87068, A/N 443091)] by removing permit condition I30.1 as Aera is now a Title V facility. This is an Admin. type change.

SECTION- D:- Permit to Operate

Equipment Processis a Name	idaki No	Connected (RECLAIM/Source	Emissions & S. Requirements	Gonditions
Processi5% Thlare The Transfer of the Processis The Proces	美国工作	t dan Kalendaria. T			
Knockout Pot, V-1, Flare Knockout Drum (pressure Vessel)	D131	D199, D201, D204			130.1
A/N 443091 487558					
Vessel, V-2, Water Seal Drum	D132	C81			130.1
A/N 4 43091 487558				;	
Flare, Ground Flare, H-1, Process Gas, Diameter: 20 Ft. 10 inch.; Height 40 ft.	C81	D132	CO: 2000 ppmv (5) [Rule 407]; PM: (9) [Rule 404]; PM: 0.01		130. 1, D12.5
Serving facility's Pressure Relief Header			grain/scf (5) [Rule 409]		
A/N 443091 487558					

A/Nos. 487560-561

A/N 407975, 407986

Alter the existing Platform Emmy Vent Scrubbers' permit [Process 7 (P/O Nos. F90351, A/N 407975 and F90349, A/N 407986] by removing permit condition I30.1 as Aera is now a Title V facility. This is an Admin. type change.

Please see equipment description on the next page.

No. of Pages SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT Page No. 19 16 Appl. No. Date **ENGINEERING AND COMPLIANCE DIVISION** 487541-563 May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

SECTION- D:- Permit to Operate

Process 7: Platform Emmy Vent Scrul		Type/Monitoring Unit	
Carbon Filter, T-210A, Cameron Environmental, KOH Impregnated Activated Carbon, Model 1500R, Venting to Atmospheric Vent Pole, Height 7' – 7", Dia. 4'	C164		E224.1, K67.4, I30.1
A/N 407975 487560 Carbon Filter, T-210B, Cameron Environmental, KOH Impregnated Activated Carbon, Model 1500R, Venting to Atmospheric Vent Pole, Height 7' – 7", Dia. 4'	C165		E224.1, K67.4, 13 0.4
Λ/N 40 7986 487561			

A/Nos. <u>487562</u> A/N <u>392592</u>

Alter the existing Tank Truck Loading permit [Process 8 (P/O Nos. F83955, A/N 392592] by removing permit condition [30.1 as Aera is now a Title V facility. This is an Admin. type change.

SECTION- D:- Permit to Operate

Equipment	ID No.	Connected to	RECLAIM Source.		
PROCESS 8:- PETROLEUM MARK	ETING (Tank Truck I		A MELLEY CO.	
Bottom Loading Arm, with 2 Hoses, each. 3" Dia. and with 3" Drip-Dry shut-off valve A/N 392592 487562	D166		·	VOC: 0.08 lb/1000 gal	C1.4, C1.5, E71.1, E147.1, H23.9, 13 0.4, K67.3
Vapor Return Line, two 3" hoses with Quick Disconnect, Venting to Vapor Recovery System A/N 392592 487562	D167				C6.4, E57.2,

A/N 487563 is field to amend the facility permit per above admin. corrections.

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT	No. of Pages 19	Page No. 17
ENGINEERING AND COMPLIANCE DIVISION	Appl. No. 487541-563	Date May 4, 09
APPLICATION EVALUATION AND CALCULATIONS	Energy Team	Approved by:
	C. S. Bhatt	

BACKGROUND:

Acra Energy operates the crude oil and gas production facility at the above location and has filed the above described several applications for admin. corrections of the various existing permit units by deleting some equipment from few permit units and deletion of condition I30.1 as Acra is now a Title V facility. These are Class III applications and all affected P/Os will be updated as shown above.

PROCESS DESCRIPTION:

There is no change in process as the proposed corrections are of admin. types.

EMISSION CALCULATIONS:

All permit units emissions will be the same as there is no change in equipment operation or their hours of operation.

RULES EVALUATION:

CEQA: The proposed permit unit modifications are of admin. types and there is no

change in emissions. Review of the 400 - CEQA Form indicates that there is

no need for further CEQA analysis.

RULE 212: STANDARDS FOR APPROVING PERMITS: There is no change in

emissions of the admin. modified permit units and also, this facility is not located within 1000 feet from the outer boundary of a school. Thus, no public

notice is required.

RULE 401: ✓ VISIBLE EMISSIONS: With proper operation visible emissions are not

expected.

RULE 402: Villance: With proper operation, nuisance complaints are not expected.

RULE 463:

✓ All required fixed roof tanks are connected to vapor recovery system as per R-

463 (c) (3).

RULE 1113: / Compliance is expected.

RULE 1173: Aera Energy employs required inspection and maintenance and records

keeping program for all applicable fugitive components.

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

ENGINEERING AND COMPLIANCE DIVISION

APPLICATION EVALUATION AND CALCULATIONS

No. of Pages 19	Page No. 18
Appl. No.	Date
487541-563	May 4, 09
Energy Team	Approved by:
C. S. Bhatt	

RULE 1176: 🗸

There are no primary or secondary sumps or open wastewater separators at this facility.

REG XIII:

NEW SOURCE REVIEW: The proposed modifications of the various permit units do not result in any emission increase. Thus, Reg. XIIII is not triggered.

RULE 1401: ✓

NEW SOURCE REVIEW OF CARCINOGENIC AIR CONTAMINANTS: Since there is no change in emissions of the toxicants, Rule 1401 analysis is not triggered.

Reg. XVII:

Prevention of Significant Deterioration

The proposed amendment is of admin. type and there is no change in emissions of PSD related pollutants. Thus, PSD analysis is not triggered.

Rule 2004:

The facility is in NOx RECLAIM Cycle 1, rule compliance is expected.

Rule 2005;

The proposed amendment is of admin, type and there is no change in emissions of any RECLAIM pollutant.

Rule 2012: 🗸

The facility is in NOx RECLAIM and is complying with all monitoring, reporting and record keeping requirements of this rule. Compliance is expected. Proposed alterations do not impact rule compliance.

Reg. XXX:

Aera Energy is a Title V facility and the proposed modifications of the several permit units are of admin. type as per R-3000 (b)((1)(F). Thus, Aera has submitted A/N 487563 to amend their Title V permit as per R-3003 (i)(4)(A). This being an admin. type permit revision, public participation under R-3006 is not required as shown under R-3003(i)(4)(B) requirements. Aera Energy's facility is not located within 50 miles of a nearby state and thus no notification is required as shown under R-3003 (i)(4)(C).

Reg. XXX:

As stated under R-3003 (i)(4)(D), Aera's facility permit conditions provide for compliance with all regulatory requirements,

R-3003 (i):

Sine this being an admin. type Title V permit modification, EPA review, as stated in R-3003 (j)(1)(A), is not required...

R-3003(m):

Aera's facility is not located within 50 miles of a nearby state.

No. of Pages Page No. SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 19 19 Appl. No. Date ENGINEERING AND COMPLIANCE DIVISION 487541-563 May 4, 09 Energy Approved APPLICATION EVALUATION AND CALCULATIONS Team by: C. S. Bhatt

R-3006:

public participation is not required as this modification is exempt under rule

subsection (b).

RECOMMENDATION AND PERMIT CONDITIONS:

The admin. corrections of the permit units will continue to operate in compliance with all applicable Rules and Regulations of the South Coast Air Quality Management District. A revised Title V Permit is recommended, subject to the following listed conditions:

- PERMIT CONDITIONS -

The following conditions from RECLAIM Condition Library will be added/updated to the facility's permit.

- E57.1 The operator shall vent this equipment to vapor recovery system whenever this equipment is operating. [R-1303 BACT]
- E127.1 The operator shall keep gauge/sample hatches closed except during actual gauging/sampling operations. [R-1303-BACT]
- H23.5 This equipment is subject to the applicable requirements of the following rules or regulations:

<u>Contaminant</u>	<u>Rule</u>		Rule/Subpart
VOC	District Rule		463
VOC	District Rule		1149
VOC	District Rule		464
VOC	District Rule	-	1173

[R-463, R-464, R-1149, R-1173]

130.1 In accordance with Rule 3002 (a)(3), the permit-for this equipment is being issued as a non-Title V permit. The facility permit holder shall file an application for a Title V permit revision for this equipment within 90 days of the issuance of the facility's initial Title V permit.

Please see the facility permit for detailed permit condition description.

C:/Aera-Energy-104017-487541-563-cog-sep-wwtr-gas-proce-DEA-flare-units-admin-correct-po.doc

SCAQMD PERMIT PROCESSING SYSTEM (PPS)

AEIS DATA SHEET

Company Name: AERA ENERGY LLC

Equipment Address: 20101 GOLDENWEST ST

HUNTINGTON BEACH CA 92648

Facility ID: 104017

Application Number: 487556

Equipment B-Cat:

Estimated Completion Date: 05/14/09

Equipment C-Cat: 96

Equipment Type : Control

Equipment Description: TAIL GAS INCINERATOR

		Émis	sions	
	Emittants	R1 LB/HR	R2 LB/HR	
	co	0.14	0.14	
	NOX	0.07	0.07	
	PM10	0.01	0.01	
	ROG	0.01	0.01	
	SOX	0.01	0.01	
Applicat	ole Rules			
1173	02/06/2009	Fugitive Emissions of VOC		
1401	03/07/2008	New Source Review of Toxic Air Contaminants		
2001	05/06/2005	Applicability (RECLAIM)		
2002	01/07/2005	Allocations for NOx and SOx (RECLAIM)		
2004	04/06/2007	Requirements		
2005	05/06/2005	New Source Review for RECLAIM		
2012	05/06/2005	Requirements of MRR for NOx Emissions (REC	LAIM)	
401	11/09/2001	Visible Emissions		
402	05/07/1976	Nuisance		
431.1	06/12/1998	Sulfur Content of Gaseous Fuels		

	Моп	Tue	Wed	Thu	Fri	Sat	Sun
Daily Start Times :	00:00	00:00	00:00	00:00	00:00	00:00	00:00
Daily Stop Times :	24:00	24:00	24:00	24:00	24:00	24:00	24:00

User's Initials: CB05

Date: 05/14/09

Supervisor's Name :

Review Date : / /

NSR DATA SUMMARY SHEET

Application No:

487556

Application Type:

Change of Conditions: No Engineering Evaluation/Ad

Application Status:

PENDAPPRV

Previous Apps, Dev, Permit #: 436452, 0 - , NONE

Company Name:

AERA ENERGY LLC

Company 1D:

104017

Address:

20101 GOLDENWEST ST, HUNTINGTON BEACH, CA

RECLAIM: RECLAIM Zone: NOX

01

ir Basin:

bne:

SC

Title V:

18 YES

Device ID:

0 -

2

Estimated Completion Date: 03-31-2009

Heat Input Capacity:

Million BTU/hr

Priority Reserve:

NONE - No Priority Access Requested

Recommended Disposition: 31 - PERMIT TO OPERATE GRANTED

PR Expiration:

School Within 1000 Feet: NO Operating Weeks Per Year: 52

Operating Days Per Week: 7

Monday Operating Hours: 00:00 to 24:00 Tuesday Operating Hours: 00:00 to 24:00 Wednesday Operating Hours: 00:00 to 24:00 Thursday Operating Hours: 00:00 to 24:00 iday Operating Hours: 00:00 to 24:00 Saturday Operating Hours: 00:00 to 24:00

Sunday Operating Hours:

00:00 to 24:00

ACETALDEEH

BACT:

Cost Effectiveness:

NO

Source Type: Emis Increase: MINOR .000206833

Modeling:

N/A N/A

Public Notice:

CONTROLLED EMISSION

Max Hourly:

0.0000085 lbs/hr

Max Daily:

0.000204 lbs/day

UNCONTROLLED EMISSION

Max Hourly:

0.0000085 lbs/hr

Max Daily:

0.000204 lbs/day

CURRENT EMISSION

BACT 30 days Avg:

0.000206833 lbs/day

Annual Emission:

0.074256 lbs/yr

District Exemption:

None

Emittant:

ACROLEIN

BACT:

Cost Effectiveness:

NO

Source Type:

MINOR

Emis Increase:

.000128967

Modeling:

N/A

Public Notice: N/A CONTROLLED EMISSION

Max Hourly:

0.0000053 lbs/hr

Max Daily:

0.0001272 lbs/day

UNCONTROLLED EMISSION

Max Hourly:

0.0000053 lbs/hr

Max Daily:

CURRENT EMISSION

0.0001272 lbs/day

BACT 30 days Avg:

0.000128967 lbs/day

Annual Emission:

0.046301 lbs/yr

trict Exemption:

None

Emittant:

BENZENE

BACT:

Cost Effectiveness:

NO MINOR

Source Type: Emis Increase:

.000384467

Modeling:

N/A

Public Notice: CONTROLLED EMISSION

N/A

Max Hourly:

0.0000158 lbs/hr

Max Daily:

0.0003792 lbs/day

UNCONTROLLED EMISSION

Max Hourly:

0.0000158 lbs/hr

Max Daily:

0.0003792 lbs/day

CURRENT EMISSION

BACT 30 days Avg:

0.000384467 lbs/day

Annual Emission:

0.138029 lbs/yr

District Exemption:

CO

BACT:

Cost Effectiveness: Source Type:

NO **MINOR**

Emis Increase:

Modeling:

N/A N/A

Public Notice:

CONTROLLED EMISSION Max Hourly:

0.14 lbs/hr

Max Daily:

3.36 lbs/day

UNCONTROLLED EMISSION Max Hourly:

0.14 lbs/hr

Max Daily:

3.36 lbs/day

CURRENT EMISSION

BACT 30 days Avg:

3 lbs/day

Annual Emission:

1223.04 lbs/yr

District Exemption:

None

Emittant:

ETHYLBENZ

BACT:

Cost Effectiveness:

NO

Source Type:

MINOR

Emis Increase:

.000455033

Modeling:

N/A

Public Notice: N/A CONTROLLED EMISSION

Max Hourly:

0.0000187 lbs/hr

Max Daily:

0.0004488 lbs/day

UNCONTROLLED EMISSION

Max Hourly:

0.0000187 lbs/hr

Max Daily:

0.0004488 lbs/day

CURRENT EMISSION

BACT 30 days Avg:

0.000455033 lbs/day

Annual Emission:

0.163363 lbs/yr

strict Exemption:

None

Emittant:

FORMALDEHY

BACT:

Cost Effectiveness:

NO

Source Type:

MINOR .000815167

Emis Increase: Modeling:

N/A

Public Notice:

N/A

CONTROLLED EMISSION

Max Hourly:

0.0000335 lbs/hr 0.000804 lbs/day

Max Daily:

UNCONTROLLED EMISSION

Max Hourly:

0.0000335 lbs/hr

Max Daily:

0.000804 lbs/day

CURRENT EMISSION

BACT 30 days Avg:

0.000815167 lbs/day

Annual Emission:

0.292656 lbs/yr

District Exemption:

NAPHTHAL

BACT:

Cost Effectiveness:

NO

Source Type: Emis Increase:

MINOR .0000146

Modeling:

N/A

Public Notice:

N/A

CONTROLLED EMISSION

0.0000006 lbs/hr

Max Hourly: Max Daily:

0.0000144 lbs/day

UNCONTROLLED EMISSION

0.0000006 lbs/hr

Max Hourly: Max Daily:

0.0000144 lbs/day

CURRENT EMISSION

BACT 30 days Avg:

0.0000146 lbs/day

Annual Emission:

0.005242 lbs/yr

District Exemption:

None

Emittant:

NOX

BACT:

Cost Effectiveness:

NO

Source Type: Emis Increase: **MAJOR**

Modeling:

0 N/A

Public Notice:

N/A

CONTROLLED EMISSION

Max Hourly:

0.07 lbs/hr

Max Daily:

1.68 lbs/day

UNCONTROLLED EMISSION

Max Hourly:

0.07 lbs/hr

Max Daily:

1.68 lbs/day

CURRENT EMISSION

BACT 30 days Avg:

Annual Emission:

2 lbs/day 611.52 lbs/yr

strict Exemption:

None

Emittant:

PAH_WOCOMP

BACT:

Cost Effectiveness:

NO

Source Type:

MINOR .000004867

Emis Increase: Modeling:

N/A

Public Notice:

N/A

Max Hourly:

CONTROLLED EMISSION 0.0000002 lbs/hr

Max Daily: **UNCONTROLLED EMISSION**

0.0000048 lbs/day

Max Hourly:

0.0000002 lbs/hr 0.0000048 lbs/day

Max Daily: CURRENT EMISSION

BACT 30 days Avg:

0.000004867 lbs/day

Annual Emission:

0.001747 lbs/yr

District Exemption:

PM10

BACT:

Cost Effectiveness:

NO

Source Type: Emis Increase: MINOR

Modeling:

0

Public Notice:

N/A N/A

CONTROLLED EMISSION

Max Hourly:

0.01 lbs/hr

Max Daily:

0.24 lbs/day

UNCONTROLLED EMISSION Max Hourly:

0.01 lbs/hr

Max Daily:

0.24 lbs/day

CURRENT EMISSION

BACT 30 days Avg:

0 lbs/day

Annual Emission:

130 lbs/yr

District Exemption:

None

Emittant:

ROG

BACT:

Cost Effectiveness:

NO

Source Type:

MINOR

Emis Increase:

0

Modeling:

N/A

Public Notice:

N/A

CONTROLLED EMISSION

Max Hourly:

0.01 lbs/hr

Max Daily:

0.24 lbs/day **UNCONTROLLED EMISSION**

Max Hourly:

0.01 lbs/hr

Max Daily:

0.24 lbs/day

CURRENT EMISSION

BACT 30 days Avg:

0 lbs/day 121 lbs/yr

Annual Emission: trict Exemption:

None

Emittant:

SOX

BACT:

Cost Effectiveness:

NO

Source Type:

MINOR

Emis Increase:

0

Modeling:

N/A

Public Notice: CONTROLLED EMISSION

N/A

Max Hourly:

0 lbs/hr

Max Daily:

0 lbs/day

UNCONTROLLED EMISSION

Max Hourly:

0 lbs/hr

Max Daily.

0 lbs/day

CURRENT EMISSION

BACT 30 days Avg:

0 lbs/day

Annual Emission:

0 lbs/yr

District Exemption:

Emittant:	TOLUENE
BACT:	
Cost Effectiveness:	NO
Source Type:	MINOR
Emis Increase:	.001754433
Modeling:	N/A
Public Notice:	N/A
CONTROLLED EMIS	SSION
Max Hourly:	0.0000721 lbs/hr
Max Daily:	0.0017304 lbs/day
UNCONTRÓLLED E	
Max Hourly:	0.0000721 lbs/hr
Max Daily:	0.0017304 lbs/day
CURRENT ÉMISSIO	
BACT 30 days Av	/g: 0.001754433 lbs/day
Annual Emission:	0.629866 lbs/yr
District Exemption:	None
	NAME OF THE O
	XYLENES
BACT:	No.
Cost Effectiveness:	NO
Source Type:	MINOR
Emis Increase:	.001304267
Modeling:	N/A
Public Notice:	N/A
CONTROLLED EMIS	
Max Hourly:	0.0000536 lbs/hr
Max Daily:	0.0012864 lbs/day
UNCONTROLLED E	
Max Hourly:	0.0000536 lbs/hr
Max Daily:	0.0012864 lbs/day
CURRENT EMISSIC	
BACT 30 days Av	· ,
Annual Emission:	
trict Exemption:	None

SUPERVISOR'S APPROVAL: _____ SUPERVISOR'S REVIEW DATE: ____

Processed By: chandrab 5/14/2009 5:18:14 PM

SUSAN PERRELL AERA ENERGY LLC 20101 GOLDEN WEST ST HUNTINGTON BEACH, CA 92648

Facility ID: 104017

Located at: 20101 GOLDENWEST ST, HUNTINGTON BEACH

Thank you for filing your application(s) with the South Coast Air Quality Management District (AQMD).

The application number(s) assigned by AQMD to your application package(s) is/are on Page 2 of this letter. Please refer to the information on Page 2 when contacting AQMD for assistance. The information you submitted with your application(s) or in your latest submittal is complete to the extent that allows us to begin processing of your application(s), however some clarifying data may still be needed. The acceptance of your application(s) does not imply that permit(s) has/have been approved. The engineer assigned to process your application(s), as indicated below, may contact you if additional information is required.

If you have any question or need additional information about your application(s), please contact the engineer listed below:

Engineer: C S Bhatt **Telephone:** (909) 396 - 2653

For general information about AQMD's permitting process, please call (909) 396-2468.

cc: Application file(s)

AQMD PERMIT APPLICATION INFORMATION

(Please refer to this information when contacting AQMD for Assistance)


11/4/2008

Facility ID: 104017

Application Es	Equipment Description 4.
487541	Crude Oil/Gas/Water Separation >=400 BPD
487542	WASTE WATER TREATING (>50000 GAL/DAY)
487545	NATURAL GAS DRYING
487547	SCRUBBER CHEMICAL M.S.
487548	NATURAL GAS STABILIZATION UNIT
487549	NATURAL GAS DRYING
487551	GAS PLANT
487552	HEATER/FURNACE (<5 MMBTU/HR) NAT GAS
487556	TAIL GAS INCINERATOR
487558	FLARE, OTHER
487560	Activated Carbon Adsorber Drum Vent s.s.
487561	Activated Carbon Adsorber Drum Vent s.s.
487562	BULK LOAD TERMINAL REC PIPELINE CRUDE
487563	TITLE V PERMIT ADMIN-AMENDMENT

APPLICATION EMISSION INQUIRY FACILITY: 104017

APPL_D EMILID	A. N	MEAS EM	I≟ ĄM T∄	EMI_AMT_ (EMI_AMT	APRO	APROV_D
1 487556 0 ACETALDEEH	31 A	V30 .000	206833	05-14-2009 c	handrab	johny	05-27-2009
2 487556 0 ACETALDEEH	31 R	R1DY .000	204	05-14-2009 c	handrab	johny	05-27-2009
3 487556 0 ACETALDEEH	31 R	11HR .0000	0085	05-14-2009 c	handrab	johny	05-27-2009
4 487556 0 ACETALDEEH	31 R	2DY .0002	204	05-14-2009 c	handrab	johny	05-27-2009
5 487556 0 ACETALDEEH	31 R	2HR .000	0085	05-14-2009 d	handrab	johny	05-27-2009
6 487556 0 ACETALDEEH	31 F	RACT .0002	206833	05-14-2009 d	handrab	johny	05-27-2009
7 487556 0 ACETALDEEH	31 Y	RLY .0742	256	05-14-2009 c	handrab	johny	05-27-2009
8 487556 0 ACROLEIN	31 A	V30 .000	128967	05-14-2009 c	handrab	johny	05-27-2009
9 487556 0 ACROLEIN	31 F	R1DY .000	1272	05-14-2009 d	handrab	johny	05-27-2009
10 487556 0 ACROLEIN	31 F	1HR .000	0053	05-14-2009 c	handrab	johny	05-27-2009
11 487556 0 ACROLEIN	31 F	R2DY .000	1272	05-14-2009 d	handrab	johny	05-27-2009
12 487556 0 ACROLEIN	31 F	R2HR .0000	0053	05-14-2009 c	handrab	johny	05-27-2009
13 487556 0 ACROLEIN	,31 F	RACT .000	128967	05-14-2009 c	handrab	johny	05-27-2009
14. 487556 0 ACROLEIN		'RLY .046		05-14-2009 c		johny	05-27-2009
15 487556 0 BENZENE	31 A			05-14-2009 c		johny	05-27-2009
16 487556 0 BENZENE		R1DY .000		05-14-2009 c		johny	05-27-2009
17. 487556 0 BENZENE	31 F	1HR .000		05-14-2009 c		johny	05-27-2009
18 487556 0 BENZENE	:31 R	R2DY .000		05-14-2009 c		johny	05-27-2009
19 487556 0 BENZENE		2HR .000		05-14-2009 c		johny	05-27-2009
20 487556 0 BENZENE	31 F	ACT .000		05-14-2009 c		johny	05-27-2009
21 487556 0 BENZENE	- 4	'RLY		05-14-2009 c		johny	05-27-2009
22 487556 0 CO	31 A	*·*·		05-14-2009 c		johny	05-27-2009
23 487556 0 CO	31 F	₹1 .14		05-14-2009 c		johny	05-27-2009
487556 0 CO		R1DY 3.36	~/	05-14-2009 c		johny	05-27-2009
25 487556 0 CO		R1HR .14		05-14-2009 c		johny	05-27-2009
26 487556 0 CO	31 F	i -		05-14-2009 c		johny	05-27-2009
27 487556 0 CO		R2DY 3.36		05-14-2009 c		johny	05-27-2009
28 487556 0 CO		R2HR .14		05-14-2009 c		johny	05-27-2009
487556 0 CO	+	RACT 3	· -	05-14-2009 c		johny	05-27-2009
30 487556 0 CO		'RLY 1223		05-14-2009 c		johny	05-27-2009
31 487556 0 ETHYLBENZ				05-14-2009 c		johny	05-27-2009
32 487556 0 ETHYLBENZ		R1DY .0004		05-14-2009 c		johny	05-27-2009
33 487556 0 ETHYLBENZ		R1HR .0000		05-14-2009 c		johny	05-27-2009
34 487556 0 ETHYLBENZ		2DY .0004		05-14-2009 c		johny	05-27-2009
35 487556 0 ETHYLBENZ		2HR .000		05-14-2009 c		johny	05-27-2009
36 487556 0 ETHYLBENZ				05-14-2009 c		johny	05-27-2009
37 487556 0 ETHYLBENZ		RLY .163	··-·	05-14-2009 c		johny	05-27-2009
38 487556 0 FORMALDEHY				05-14-2009 c		johny	05-27-2009
487556 0 FORMALDEHY		R1DY .000		05-14-2009 c		johny	05-27-2009
40 487556 0 FORMALDEHY		1HR .000	v	05-14-2009 c		johny	05-27-2009
41 487556 0 FORMALDEHY		2DY .000		05-14-2009 c	-	johny	05-27-2009
42, 487556 0 FORMALDEHY		2HR .000		05-14-2009 c		johny	05-27-2009
43 487556 0 FORMALDEHY		ACT .0008		05-14-2009 c		johny	05-27-2009
44 487556 0 FORMALDEHY		RLY .2926		05-14-2009 c		johny	05-27-2009
453 487556 0 NAPHTHAL	31 A			05-14-2009 c		johny	05-27-2009
46 487556 0 NAPHTHAL		1DY .0000		05-14-2009 c		johny	05-27-2009
47. 487556 0 NAPHTHAL	+	1HR .0000		05-14-2009 c		johny	05-27-2009
48 487556 0 NAPHTHAL		2DY ,0000		05-14-2009 c		johny	05-27-2009
49 487556 0 NAPHTHAL		2HR .0000		05-14-2009 c		johny	05-27-2009
[49.6] T1989						,	



14

APPLICATION EMISSION INQUIRY FACILITY : 104017

APPL D EMILID	A	MEAS	- EMI_AMT	EMI AMT	EMI AMT	APRO	APROV D	
50 487556 0 NAPHTHAL	-		.0000146	05-14-2009	Lesson — more v.	johny	05-27-2009	
51 487556 0 NAPHTHAL	31	YRLY	.005242	05-14-2009	chandrab	johny	05-27-2009	
52 487556 0 NOX			2	05-14-2009	chandrab	johny	05-27-2009	
53 487556 0 NOX		R1	.07	05-14-2009		johny	05-27-2009	
54 487556 0 NOX		R1DY	•	05-14-2009		johny	05-27-2009	
255 487556 0 NOX		R1HR		05-14-2009		johny	05-27-2009	
56 487556 0 NOX		R2	.07	05-14-2009		johny	05-27-2009	
57 487556 0 NOX		R2DY		05-14-2009		johny	05-27-2009	
58 487556 0 NOX		R2HR		05-14-2009		johny	05-27-2009	10.07
59 487556 0 NOX		RACT		05-14-2009	- · · · · · · · · · · · · · · · · · · ·	johny	05-27-2009	010
60 487556 0 NOX			611.52	05-14-2009		johny	05-27-2009	
61 487556 0 PAH WOCOMP			.000004867			johny	05-27-2009	
62 487556 0 PAH_WOCOMP			.0000048	05-14-2009		johny	05-27-2009	
63 487556 0 PAH_WOCOMP			.00000010	05-14-2009		johny	05-27-2009	
64 487556 0 PAH WOCOMP	·		.0000002	05-14-2009		johny	05-27-2009	
65 487556 0 PAH_WOCOMP			.0000040	05-14-2009			05-27-2009	
487556 0 PAH_WOCOMP			.0000002			johny johny	05-27-2009	
487556 0 PAH WOCOMP			.000004807	05-14-2009				'
- 10 (1 · · · · · · · · · · · · · · · · · ·		AV30	· · · · · · · · · · · · · · · · · · ·			johny	05-27-2009	
68 487556 0 PM10				05-14-2009		johny	05-27-2009	
697 487556 0 PM10		R1	.01	05-14-2009		johny	05-27-2009	
70° 487556 0 PM10		R1DY		05-14-2009		jahny	05-27-2009	
71. 487556 0 PM10		R1HR	1	05-14-2009		johny	05-27-2009	0.01
72. 487566 0 PM10		R2	.01	05-14-2009		johny	05-27-2009	
73 487556 0 PM10		R2DY		05-14-2009		johny	05-27-2009	
74 487556 0 PM10 V		R2HR	and the second s	05-14-2009		johny	05-27-2009	
75 487556 0 PM10		RACT	•	05-14-2009		johny	05-27-2009	
76 487556 0 PM10		YRLY		05-14-2009		johny	05-27-2009	
77 487556 0 ROG		AV30		05-14-2009		johny	05-27-2009	
78 487556 0 ROG		R1	.01	05-14-2009	chandrab	johny	05-27-2009	
79 487556 0 ROG		R1DY		05-14-2009		johny	05-27-2009	
80 487556 0 ROG		R1HR	1	05-14-2009		johny	05-27-2009	
81 487556 0 ROG		R2	.01	05-14-2009		johny	05-27-2009	
82 487556 0 ROG V	31	R2DY	.24	05-14-2009	chandrab	johny	05-27-2009	6.01
83 487556 0 ROG		R2HR		05-14-2009	chandrab	johny	05-27-2009	
84 487556 0 ROG	31	RACT	0	05-14-2009	chandrab	johny	05-27-2009	
85 487556 0 ROG	31	YRLY	121	05-14-2009	chandrab	johny	05-27-2009	
86 487556 0 SOX		AV30	0	05-14-2009		johny	05-27-2009	
87 487556 0 SOX	31	R1	.01	05-14-2009		johny	05-27-2009	
88 487556 0 SOX	31	R1DY	0	05-14-2009	chandrab	johny	05-27-2009	
487556 0 SOX	31	R1HR	0	05-14-2009	chandrab	johny	05-27-2009	
90 487556 0 SOX		R2	.01.	05-14-2009	chandrab	johny	05-27-2009	001
91 487556 0 SOX	31	R2DY	0.	05-14-2009	chandrab	johny	05-27-2009	
92, 487556 0 SOX	1	R2HR		05-14-2009	chandrab	johny	05-27-2009	
93 487556 0 SOX	31	RACT	.14	05-14-2009	chandrab	johny	05-27-2009	
94. 487556 0 SOX	31	YRLY	0	05-14-2009	chandrab	johny	05-27-2009	
₹95, 487556 0 TOLUENE	31	AV30	.001754433	05-14-2009	chandrab	johny	05-27-2009	
96 487556 0 TOLUENE	31	R1DY	.0017304	05-14-2009		johny	05-27-2009	
97 487556 0 TOLUENE			.0000721	05-14-2009		johny	05-27-2009	
98 487556 0 TOLUENE	31	R2DY	.0017304	05-14-2009	chandrab	johny	05-27-2009	

APPLICATION EMISSION INQUIRY FACILITY: 104017

0.00	APPL_ D	EMI ID	A	MEAS	EMI_AMT	EMILAMT_	,EMI_AMT	APRO	#APROVID
~ 99⊭	487556 0	TOLUENE	31	R2HR	.0000721	05-14-2009	chandrab	johny	05-27-2009
1.2 7597	1	TOLUENE	31	RACT	.001754433	05-14-2009	chandrab	johny	05-27-2009
101	487556 0	TOLUENE	31	YRLY	.629866	05-14-2009	chandrab	johny	05-27-2009
102	487556 0	XYLENES	31	AV30	.001304267	05-14-2009	chandrab	johny	05-27-2009
103	487556.0	XYLENES	31	R1DY	.0012864	05-14-2009	chandrab	johny	05-27-2009
/104	487556 0	XYLENES	31	R1HR	.0000536	05-14-2009	chandrab	johny	05-27-2009
105	487556 0	XYLENES	31	R2DY	.0012864	05-14-2009	chandrab	johny	05-27-2009
-106	487556 0	XYLENES	31	R2HR	.0000536	05-14-2009	chandrab	johny	05-27-2009
107	487556 0	XYLENES	31	RACT	.001304267	05-14-2009	chandrab	johny	05-27-2009
108	487556 0	XYLENES	31	YRLY	.46825	05-14-2009	chandrab	johny	05-27-2009

3 -4 /

F.	APPL STATUS_DESC
	PERMIT TO OPERATE GRANTED
2	PERMIT TO OPERATE GRANTED
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PERMIT TO OPERATE GRANTED
Annual An	PERMIT TO OPERATE GRANTED
***	PERMIT TO OPERATE GRANTED
20K3E4/63C	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED
200	PERMIT TO OPERATE GRANTED
Charles 197	PERMIT TO OPERATE GRANTED
11	PERMIT TO OPERATE GRANTED
1	PERMIT TO OPERATE GRANTED
500000	PERMIT TO OPERATE GRANTED
- No. 10 Co. 10	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED PERMIT TO OPERATE GRANTED
-200	PERMIT TO OPERATE GRANTED
** A * * * * * * * * * * * * * * * * *	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED
S 0000 5	PERMIT TO OPERATE GRANTED
SPANIE C	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED
27 771	PERMIT TO OPERATE GRANTED
26	PERMIT TO OPERATE GRANTED
1997 common of \$100.00	PERMIT TO OPERATE GRANTED
73 E	PERMIT TO OPERATE GRANTED
2007	PERMIT TO OPERATE GRANTED
7.0	PERMIT TO OPERATE GRANTED
-	PERMIT TO OPERATE GRANTED
32	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED
WILLS THE STREET	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED
100000	PERMIT TO OPERATE GRANTED
37	PERMIT TO OPERATE GRANTED
38	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED
41	PERMIT TO OPERATE GRANTED
	PERMIT TO OPERATE GRANTED
43	PERMIT TO OPERATE GRANTED
and the second second	PERMIT TO OPERATE GRANTED
45	PERMIT TO OPERATE GRANTED
46 r	PERMIT TO OPERATE GRANTED
- 47 4	PERMIT TO OPERATE GRANTED
48	PERMIT TO OPERATE GRANTED
49	PERMIT TO OPERATE GRANTED

40	APPL STATIUS DESC	100/2004
50	PERMIT TO OPERATE GRANTED	
51	PERMIT TO OPERATE GRANTED	
* 52 ·	PERMIT TO OPERATE GRANTED	
53	PERMIT TO OPERATE GRANTED	
54	PERMIT TO OPERATE GRANTED	
÷55	PERMIT TO OPERATE GRANTED	
56	PERMIT TO OPERATE GRANTED	
57	PERMIT TO OPERATE GRANTED	
58	PERMIT TO OPERATE GRANTED	
∗ 59⁺	PERMIT TO OPERATE GRANTED	
60	PERMIT TO OPERATE GRANTED	
-	PERMIT TO OPERATE GRANTED	
200	PERMIT TO OPERATE GRANTED	
63	PERMIT TO OPERATE GRANTED	
64	PERMIT TO OPERATE GRANTED	
65.	PERMIT TO OPERATE GRANTED	
30 - 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PERMIT TO OPERATE GRANTED	
¥67	PERMIT TO OPERATE GRANTED	
68	PERMIT TO OPERATE GRANTED	
20072 - 0.04	PERMIT TO OPERATE GRANTED	
9 N P 1 N 2 1 N	PERMIT TO OPERATE GRANTED	
71	PERMIT TO OPERATE GRANTED	
7000	PERMIT TO OPERATE GRANTED	
3.5	PERMIT TO OPERATE GRANTED	
74	PERMIT TO OPERATE GRANTED	
12 10 10 10 10 10 10 10 10 10 10 10 10 10	PERMIT TO OPERATE GRANTED	
76	PERMIT TO OPERATE GRANTED	
-	PERMIT TO OPERATE GRANTED PERMIT TO OPERATE GRANTED	
79	PERMIT TO OPERATE GRANTED	
80	PERMIT TO OPERATE GRANTED	
	PERMIT TO OPERATE GRANTED	
82	PERMIT TO OPERATE GRANTED	
83		
E. SANDYNA VI BALON	PERMIT TO OPERATE GRANTED	
ACC 14 - 1/2 1/2	PERMIT TO OPERATE GRANTED	
86	PERMIT TO OPERATE GRANTED	
	PERMIT TO OPERATE GRANTED)
4620-6000-60 4-7. /	PERMIT TO OPERATE GRANTED	
The second second	PERMIT TO OPERATE GRANTED	
2000	PERMIT TO OPERATE GRANTED	
×91,	PERMIT TO OPERATE GRANTED	
7- 5,720 201,520,000	PERMIT TO OPERATE GRANTED	··· · · · ·
93	PERMIT TO OPERATE GRANTED	
94,	PERMIT TO OPERATE GRANTED	
	PERMIT TO OPERATE GRANTED	
-96	PERMIT TO OPERATE GRANTED	
The second second	PERMIT TO OPERATE GRANTED	
98	PERMIT TO OPERATE GRANTED]

.3 ,

100	in the second second		'cit'i ti	io libro	A-3.500000	er, Co
		APPL	STATE	JS DES	C	
99	PERMIT	TO OPE	ERATE	GRANT	ED	1
100	PERMIT	TO OPE	RATE	GRANT	ED	
1101	PERMIT	TO OPE	RATE	GRANT	ED	-
102	PERMIT	TO OPE	RATE	GRANT	ED]
-103	PERMIT	TO OPE	RATE	GRANT	ED	
104	PERMIT	TO OPE	RATE	GRANT	ED	1
105	PERMIT	TO OPE	RATE	GRANT	ED .	
106	PERMIT	TO OPE	RATE	GRANT	ED	-
107	PERMIT	TO OPE	RATE	GRANT	ED	
108	PERMIT	TO OPE	RATE	GRANT	ED	